				P(9) -	70C	
QUERY CONTR	OL FORM	RTIS US	SE ONLY			
Application No.	09/676768	Prepared by	Lois Stone	Tracking Number	5863398	
Examiner-GAU	Whisenant-1634	Date	12/18/03	Week Date	11/17/03	
	•	No. of queries	ì	750	1 7	

JACKET			
a. Serial No.	f. Foreign Priority	k. Print Claim(s)	(b. PTO-1449)
b. Applicant(s)	g. Disclaimer	I. Print Fig.	q. PTOL-85b
c. Continuing Data	h. Microfiche Appendix	m. Searched Column	r. Abstract
d. PCT	i. Title	n. PTO-270/328	s. Sheets/Figs
e. Domestic Priority	j. Claims Allowed	o. PTO-892	t. Other

SPECIFICATION	MESSAGE
a. Page Missing	Please provide copies of the PTO-1449 forms with the citations either initialed or lined through.
b. Text Continuity	the citations either initialed or lived through
c. Holes through Data	Copies provided for reference.
d. Other Missing Text	
e. Illegible Text	
f. Duplicate Text	
g. Brief Description	
h. Sequence Listing	
i. Appendix	
j. Amendments	
k. Other	
1	
CLAIMS	
a. Claim(s) Missing	
b. Improper Dependency	Thank you,
c. Duplicate Numbers	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
d. Incorrect Numbering	المان initials (ماد
e. Index Disagrees	RESPONSE
f. Punctuation	
g. Amendments	
h. Bracketing	
i. Missing Text	
j. Duplicate Text	
k. Other	
	initials



U.S. Department of

Patent and Trademark Office

Attorney Docket No.: FORS-04766

Serial No.: 09/676,768

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets if Necessary)

Applicant: Fang Dong et al.

(37 CFR § 1.98(b))	

(Use Several Sneeth in Necessary) 77 CFR § 1.98(b))				Filing Date: 10/02/00		Group Art Unit:			
				U.S. PATENT DOC	UMENTS				
Examiner Initials	Cite No.	Serial / Patent Number	Issue Date	Applica	ant / Patentee	Class	Subctass	Filing	Date
	1	5,202,231	04/13/93	Dru	anac et al.	435/6	436/501	436/501 06/18/91	
	2	5,492,806	02/20/86	Dem	anac et al.	435/5	435/6	04/1	2/93
	3	5,510,270	04/23/96	Fo	dor et al.	436/518	435/4	09/3	0/92
	4	5,429,807	07/04/95	Ma	tson et al.	422/131	422/101	10/2	8/93
	5	5,599,695	02/04/97	Pe	ase et al.	435/91.1	536/25.3	536/25.3 02/27/95	
	6	5,436,327	07/25/95	Sou	thern et al.	536/25.34	53625.3 09/21/89		:1/89
		FC	REIGN PATENTS C	OR PUBLISHED FO	REIGN PATENT APPLI	CATIONS			
		Document						Trans	slation
		Number	Publication Date	Country	/ Patent Office	Class	Subclass	Yes	N
	7	WO 95/15267	06/08/95		PCT	B44C 1/175	1/17		Π
	8	WO 96/04374	02/15/96		PCT	C12N 15/11	C12Q 1/68		
		OTHER :	DOCUMENTS (Inclu	ding Author, Title, I	Date, Relevant Pages, Pla	ce of Publication)			
	9		imprehensive Detection a GC Clamp," Gene		anges in Human Genomi 0);	c DNA Using Denaturi	ng Gradient Ge	si .	
	10	Altamirano et al., "Identification of Hepatitis C Virus Genotypes among Hospitalized Patients in British Columbia, Canada," J. Infect. 1 171:1034-1038 [1995];				u. Di			
	11	Bains and Smith, "A Novel Method for Nucleic Acid Sequence Determination," J. Theor. Biol. 135:303-307 [1988];							
	12	Banerjee et al., "InhA, a Gene Encoding a Target for Isoniazid and Ethionamide in Mycobacterium uberculosis," Science 263:227-230 [1994];				30			
	13		Barlow and Lehrach, "Genetics by gel electrophoresis: the impact of pulsed field gel electrophoresis on mammalian genetics," Trends Genet. 3:167-171 [1987];			ds			
	14	Borrensen et al., "Constant denaturant gel electrophoresis as a rapid screening technique for p53 mutations," Proc. Natl. Acad. Sci. US. 88:8405-8409 [1991];				USA			
	15	Brow et al., "Differentiation of Bacterial 16S rRNA Genes and Intergenic Regions and Mycobacterium tuberculosis katG Genes by Structure-Specific Endonuclease Cleavage," J. Clin. Microbiol. 34:3129-3137 [1996];							
	16	Chee et al., "Accessing Genetic Information with High-Density DNA Arrays," Science 274:610-614 [1996];							
	17	Cockerill, III et al., "Rapid Identification of a Point Mutation of the Mycobacterium suberculosis Catalase-Peroxidase (katG) Gene Associated with Isoniazid Resistance," J. Infect. Dis. 171:240-245 [1995];							
	18	Conner, "Detection of sickle cell \$3-globin alkele by hybridization with synthetic oligonucleotides," Proc. Natl. Acad. Sci. 80:278-282 [1983];							
	19		"Isolation of the Gen New Mutations," Am.		f RNA Polymerase from 39-643 [1994];	Rifampicin-resistant M	cobacterium i	uberculo:	zis an
	20	Doty et al., "Stran USA 46:461 [1960		cific Recombination	in Deoxyribonacleic Aci	ds: Physical Chemical S	tudies," Proc.	Natl. Ac	ad. S
	21	Dimanac et al., "S	equencing of Megaba	ase Plus DNA by Hy	bridization: Theory of	he Method," Genomics	4:114-128 [19	89];	
•	22	Eckstein and Lille	y (eds.), Nucleic Acid	ls and Molecular Bio	logy, val. 2, Springer-V	erlag, Heidelberg [1988];		

Patent and Trademark
INFORMATION DISCOSSINE STATEMENT BY APPLICANT

U.S. Department of

Patent and Trademark Office

Attorney Docket No.: FORS-04766

Applicant: Fang Dong et al.

Serial No.: 09/676,768

		(Use Several Sheets If Necessary)		 		
37 CFR § 1.98(b))			Filing Date: 10/02/00	Group Art Unit:		
		OTHER DOCUMENTS (Including Author, Title, D	Pate, Relevant Pages, Place of Publication)			
	23	Fedorova et al., "The Influence of the Target Structure on the Derivatives of Antisense Oligonucleotides," FEBS Len. 302:4	e Efficiency of Alkylation of Single-Stranded DN 7-50 [1992];	IA with the Reactive		
	24	Fodor et al., *Light-Directed, Spatially Addressable Parallel	el Chemical Synthesis," Science 251:767-773 [1991];			
	25	Fodor et al., "Multiplexed biochemical assays with biological	ical chips," Nature 364:555-556 [1993];			
	26	Frieden et al., "The Emergence of Drug-Resistant Tuberculor	sis in New York City," New Engl. J. Med. 328:	521-526 [1993];		
	27	Gamper et al., "Solution Hybridization of Crosslinkable DNA Bacteriophage M13 DNA: Effect of Secondary Structure on I	A Oligonucleotides to Bacteriophage M13 DNA (Hybridization Kinetics and Equilibria, * J. Mol. i	Oligonucleotides to Biol. 197:349-362 [1987];		
	28	Godard et al., "Photochemically and Chemically Activatable and RNA Targets," Nuc. Acids Res. 22:4789-4795 [1994];	Antisense Oligonucleotides: Comparison of Thei	r Reactivities Towards DNA		
	29	Gogos et al., "Detection of single base mismatches of thymin presence of tetralkylammonium salts," Nucl. Acids Res. 18:61	ne and cytosine residues by potassium permangar 807-6817 [1990];	rate and hydroxylamine in the		
	30	Harrington and Lieber, "Functional domains within FEN-1 as nucleotide excision repair," Genes and Develop. 3:1344-1355	nd RAD2 define a family of structure-specific en 5 [1994];	donucleases: implications for		
	31	Hayashi, "PCR-SSCP: A Simple and Sensitive Method for D [1991];	etection of Mutations in the Genomic DNA," PC	R Meth. Appl. 1:34-38		
	32	Heym et al., "Implications of multidrug resistance for the fut 344:293-298 [1994];	ture of short0-course chemotherapy of mberculos	is: a molecular study," Lances		
	33	Hughes, "The Resurgence of Tuberculosis," Scrip Magazine,	pp. 46-48 [May 1994];			
	34	Jacobs, Ir. et al., "Rapid Assessment of Drug Susceptibilities Science 260:819-822 [1993];	s of Mycobacterium tuberculosis by Means of Lu	ciferase Reporter Phages,"		
	35	Jacobs, Jr., "Multiple-Drug-Resistant Tuberculosis," Clin. In	fea. Dis. 19:1-8 [1994];			
	36	Kanal et al., "HCV genotypes in chronic hepatitis C and response to interferon," Lancer 339:1543 [1992];				
	37	Lerman and Silverstein, "Computational Simulation of DNA Melting and Its Application to Denaturing Gradient Gel Electrophoresis," Meth. Enzymol. 155:482-501 [1987];				
	38	Lima et al., "Implication of RNA Structure on Antisense Oli	gonucleotide Hybridization Kinetics, Blochem.	31:12055-12061 [1992];		
	39	Liu and Sommer, ""Parameters Affecting the Sensitivities of	Dideoxy Fingerprinting and SSCP,* PCR Meth.	Appli. 4:97-108 [1994];		
	40	Marmur and Lane, "Strand Separation and Specific Recombit USA 46:453-461 [1960];	mation in Deoxyrfbornucleic Acids: Biological Sta	idies," Proc. Natl. Acad. Sci.		
	41	Maskos and Southern, "Parallel analysis of oligodeoxyriboru oligonucleotide duplex formation," Nucl. Acids Res. 20(7):16	ucleotide (oligonucleotide) interactions. J. Analys 575-1678 [1992];	is of factors influencing		
	42	Morris et al., "Molecular Mechanisms of Multiple Drug Res 171:954-960 [1995];	istance in Clinical Isolates of Mycobacterium tub	erculosis," I. Infect. Dis.		
	43	Murante, R.S., et al., "The Calf 5'- to 3'Exomelease Is Als Upstream of the Point of Cleavage," J. Biol. Chem. 269:119		ent on Primers Annealed		
	44	Myers et al., *Detection of Single Base Substitutions by Rib 1246 [1985];	onuclease Cleavage at Mismatches in RNA:DNA	Duplexes,* Science 230:124		
	45	Okamoto et al., "Typing hepatitis C virus by polymerase chitracing infectious sources," J. Gen. Virol. 73:673-679 [1992]		on to clinical surveys and		
	46	Orita et al., "Rapid and Sensitive Detection of Point Mutation 5:874-879 [1989];	ons and DNA Polymorphisms Using the Polymer	ase Chain Reaction," Genomi		
ixaminer:			Date Considered:			

NOV 25 2003

U.S. Department of

Patent and Trademark Office

Attorney Docket No.: FORS-04766

Serial No.: 09/676,768

Applicant: Fang Dong et al.

(Use Several Sheets If Necessary)

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

Filing Date: 10/02/00 Group Art Unit: (37 CFR § 1.98(b)) OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) Parkhurst and Parkhurst, "Kinetic Studies by Fluorescence Resonance Energy Transfer Employing a Double-Labeled Oligonucleotide: 47 Hybridization to the Oligonucleotide Complement and to Single-Stranded DNA, Biochem. 34:285-292 [1995]; 48 Perlman and Butow, "Mobile Introns and Intron-Encoded Proteins," Science 246:1106-1109 [1989]; Sambrook et al, Molecular Choning: A Laboratory Manual, 2nd ed. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY 49 Scholz, et al., "Rapid screening for Tp53 mutations by temperature gradient gel electrophoresis: a comparison with SSCP analysis," Hum. Mol. Genet. 2:2155-2158 [1993]; 50 Schwille et al., "Quantitative Hybridization Kinetics of DNA Probes to RNA in Solution Followed by Diffusional Fluorescence Correlation 51 Analysis,* Biochem. 35:10182-10193 [1996]; Sheffield et al., "Attachment of a 40-base-pair G+C-rich sequence (GC-clamp) to genomic DNA fragments by the polymerase chain 52 reaction results in improved detection of single-base changes," Proc. Natl. Acad. Sci. USA 86:232-236 [1989]; Shibata in PCR: The Polymerase Chain Reaction. "Preparation of Nucleic Acids for Archival Material," (eds., Mullis et al.) Boston, pp. 53 47-54 [1994]; Shinnick and Jones in <u>Tuberculosis: Pathogenesis</u>, <u>Protection and Control</u>, "Molecular Approaches to the Diagnosis of Tuberculosis," (ed., Bloom), American Society of Microbiology, Washington, D.C. [1994], pp. 517-530; 54 Smith et al., "Novel Method of Detecting Single Base Substitutions in RNA Molecules by Differential Melting Behavior in Solution," 55 Southern et al., "Analyzing and Comparing Nucleic Acid Sequences by Hybridization to Arrays of Oligonucleotides: Evaluation Using Experimental Models," Genomics 13:1008-1017 [1992]; 56 Studencki et al., "Discrimination among the Human β^A , β^S , and β^C -Globin Genes Using Allele-Specific Oligonucleotide Hybridization Probes," Human Genetics 37:42-51 [1985]: 57 Studencki and Wallace, "Allele-Specific Hybridization Using Oligonacleotide Probes of Very High Specific Activity: Discrimination of the 58 Human β^A- and β^S-Globin Genes, DNA 3:1-15 [1984]; 59 Wallace et al., "Application of synthetic oligonucleotides to the diagnosis of human genetic diseases," Biochimie 67:755-762 [1985]; Wallace et al., "Hybridization of Synthetic Oligodeoxyribonucleotides to \$\Phi_X174 DNA: The Effect of Single Base Pair Mismatch," Nucl. 60 Acids Res. 6:3543-3557 [1979]; Wartell et al., Detecting base pair substitutions in DNA fragments by semperature-gradient gel electrophoresis," Nucl. Acids Res. 61 Winter et al., "A method to detect and characterize point mutations in transcribed genes: Amplification and overexpression of the mutant c-Ki-ras allele in human tumor cells," Proc. Natl. Acad. Sci. USA 82:7575-7579 [1985]; 62 Woese, "Bacterial Evolution," Microbiological Reviews 51(2):221-271 [1987]; 63 Yoshioka et al., "Detection of Hepatitis C Virus by Polymerase Chain Reaction and Response to Interferon-a Therapy: Relationship to 64 Genotypes of Hepatitis C Virus," Hepatology 16:293-299 [1992]; 65 Yule, "Amplification-Based Diagnostics Target TB," Bio/Technology 12:1335-1337 [1994]; 66 Zarrinkar and Williamson, "Kinetic Intermediates in RNA Folding," Science 265:918-924 [1994]; Zarrinkar and Williamson, "The kinetic folding pathway of the Tetrahymena ribozyme reveals possible similarities between RNA and 67 protein folding, Nat. Struct. Biol. 3:432-438 [1996]; Azhayeva et al., *Looped Oligonucleotides Form Stable Hybrid Complexes with a Single-Stranded DNA, Nucl. Acids Res. 23(7):1170-68 1176 [1995];

Examiner:

Date Considered:

Blume et al., "Divalent Transition Metal Cations Counteract Potassium-Induced Quadruplex Assembly of Oligo(dG) Sequences," Nucl.

EXAMINER:

69

Acids Res. 25(3):617-625 [1997];

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

HEUE WED

FORM PTO-1449 U.S. Department of Serial No.: 09/676,768 Attorney Docket No.: FORS-04766 Commerce TENTA TRACE Patent and Trademark Office (Modified) Applicant: Fang Dong et al. INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary) Filing Date: 10/02/00 Group Art Unit: (37 CFR § 1.98(b)) OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) Brossalina and Toulme, "A DNA Hairpin as a Target for Antisense Oligonucleotides," J. Am. Chem. Soc. 115:796-797 [1993]; 70 Butorin et al., "Comparison of the Hydrolysis Patterns of Several tRNAs by Cobra Venom Ribonuclease in Different Steps of the Aminoacylation Reaction," Eur. J. Biochem. 121:587-595 [1982]; 71 Cech, "Structure and Mechanism of the Large Catalytic RNAs: Group I and Group II Introns and Ribonuclease P." Chapter 11 in The 72 RNA World, Cold Spring Harbor Laboratory Press, New York, pp. 239-269 [1993]; 73 Clark, "DNA Synthesis on Discontinuous Templates by DNA Polymerase 1 of Escherichia coli," Gene 104:75-80 [1991]; Cload and Schepartz, "Polyether Tethered Oligonucleotide Probes," J. Am. Chem. Soc. 113:6324-6326 [1991]; 74 Cload et al., "Kinetic and Thermodynamic Analysis of RNA Binding by Tethered Oligonucleotide Probes: Alternative Structures and 75 Conformational Changes, J. Am. Chem. Soc. 115(12):5005-5014 [1993]; Delihas et al., "Natural Antisense RNA/Target RNA Interactions: Possible Models for Antisense Oligonucleotide Drug Design," Natura 76 Biotech. 15:751-753 [1997]: 77 DeRisi et al., "Use of a cDNA Microarray to Analyse Gene Expression Patterns in Human Cancer," Nature Genetics 14:457-460 [1996]; Derrick and Horowitz, "Probing Structural Differences Between Native and In Vitro Transcribed Escherichia coli Valine Transfer RNA: 78 Evidence For Stable Base Modification-Dependent Conformers," Nucl. Acids Res. 21(21):4948-4953 [1993]; Francois et al., "Recognition and Cleavage of Hairpin Structures in Nucleic Acids by Oligodeoxynucleotides," Nucl. Acids Res. 79 22(19):3943-3950 [1994]; Frischer et al., "Differential sensitivity of 16S rRNA targeted oligonucleotide probes used for fluorescence in sim hybridization is a result 80 of ribosomal higher order structure." Can. J. Microbiol 42:1061-1071 [1996]; 81 Guo et al., "Asymmetric Structure of a Three-Arm DNA Junction." Biochemistry 29:10927-10934 [1990]; 82 Hohelsel, "Sequence-independent and linear variation of oligonucleotide DNA binding stabilities," Nucl. Acids Res. 24(3):430-432 [1996]; Lane et al., "The Thermodynamic Advantage of DNA Oligonucleotide 'Stacking Hybridization' Reactions: Energetics of a DNA Nick," 83 Nucl. Acids Res. 25(3):611-616 [1997]; 84 Lilley and Kemper, "Cruciform-Resolvase Interactions in Supercoiled DNA," Cell 36:413-422 [1984]; Lima et al.. "Combinatorial Screening and Rational Optimization for Hybridization to Folded Hepatitis C Virus RNA of Oligonucleotides 85 with Biological Antisense Activity." J. Biol. Chem. 272(1):626-638 [1997]; 86 Lu et al., "Effect of Sequence on the Structure of Three-Arm DNA Junctions." Biochemistry 30(24):5815-5820 [1991]; 87 Ma et al., "Three-Arm Nucleic Acid Junctions are Flexible," Nucl. Acid Res. 14:9745-9753 [1986]; Malygin et al., "Hybridization of Two Oligodeoxynucleotides to Both Strands of an RNA Hairpin Structure Increases the Efficiency of RNA-DNA Duplex Pormation," FEBS Letters 392:114-116 [1996]; 88

Matveeva et al., "A Rapid In Vitro Method for Obtaining RNA Accessibility Patterns for Complementary DNA Probes: Correlation with an

Milner et al., "Selecting Effective Antisense Reagents On Combinatorial Oligonucleotide Arrays," Nature Biotech. 15:537-541 [1997];

Milosavljevic et al., "DNA Sequence Recognition by Hybridization to Short Oligomers: Experimental Verification of the Method on the E.

Mishra et al., "Targeting nucleic acid secondary structures by amisense oligonucleotides designed through in vitro selection," Proc. Natl. Acad. Sci. USA 93:10679-10684 [1996];

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form

Date Considered:

Intracellular Pattern and Known RNA Structures," Nucl. Acids Res. 25(24):5010-5016 [1991];

coli Genome," Genomics 37:77-86 [1996];

with next communication to applicant.

89

90

91

92

Examiner:

EXAMINER:

√ED

NOV 25 2003

U.S. Department of Patent and Trademark Office

Attorney Docket No.: FORS-04766

Serial No.: 09/676,768

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets if Necessary)

with next communication to applicant.

Applicant: Fang Dong et al.

Filing Date: 10/02/00

Group Art Unit:

(37 CFR § 1.9	8(b))	FRIDE Date: 10702/00 Group Art Unit:
		OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)
	93	Pan et al., "Divalent Metal Ions in RNA Folding and Catalysis," Chapter 12 in The RNA World, Cold Spring Harbor Laboratory Press, New York, pp. 271-302 [1993]:
	94	Parinov et al., *DNA Sequencing by Hybridization to Microchip Octa- and Decanucleotides Extended by Stacked Pentanucleotides,* Nucl. Acids Res. 24(15):2998-3004 [1996];
	95	Parsch et al., "Site-Directed Mutations Reveal Long-Range Compensatory Interactions in the Adh gene of Drosophila melanogaster," Proc. Natl. Acad. Sci. USA 94:928-933 [1997];
	96	Richardson and Schepartz, "Tethered Oligonacleotide Probes. A Strategy for the Recognition of Structured RNA," J. Am. Chem. Soc. 113:5109-5111 [1991];
	97	Rosen and Patel, "Structural Features of a Three-Stranded DNA Junction Committing a C-C Junctional Bulge," Biochemistry 32:6576-6587 [1993];
	98	Schuster et al., "RNA Structures and Folding: From Conventional to New Issues in Structure Predictions," Cur. Opin. in Struct. Biol. 7:229-235 [1997];
	99	Serano and Cohen, "A Small Predicted Stem-Loop Structure Mediates Oocyte Localization of Drosophila K10 mRNA," Development 121:3809-3818 [1995];
	100	Southern, "DNA fingerprinting by hybridization to oligonacleotide arrays," Electrophoresis 16(9):1539-1542 [1995];
	101	Southern, "DNA chips: analyzing sequence by hybridization to oligonucleotides on a large scale," 77G 12(3):1-6 [1996];
	102	Strobel and Doudna, "RNA Seeing Double: Close-Packing of Helices in RNA Tertiary Structure," TIBS Reviews 22:262-266 [1997];
	103	Suo and Johnson, "RNA Secondary Structure Switching During DNA Synthesis Catalyzed by HIV-1 Reverse Transcriptase," Biochemistry 36:14778-14785 [1997];
•	104	Walter et al., "Coaxial Stacking of Helixes Enhances Binding of Oligoribonucleotides and Improves Predictions of RNA Folding," Proc. Natl. Acad. Sci USA 91:9218-9222 [1994];
	105	Weiler et al., "Hybridization Based DNA Screening on Peptide Nucleic Acid (PNA) Oligomer Arrays," Nucl. Acids Res. 25(14):2792-2799 [1997];
	106	Welch et al., "Structures of Bulged Three-Way DNA Junctions," Nucl. Acids Res. 21(19):4548-4555 [1993];
	107	Woese and Pace, "Probing RNA Structure, Function, and History by Comparative Analysis," Chapter 4 in The RNA World, Cold Spring Harbor Laboratory Press, New York, pp. 91-117 [1993];
	108	Wyatt and Tinoco, "RNA Structural Elements and RNA Function," Chapter 18 in The RNA World, Cold Spring Harbor Laboratory Press, New York, pp. 465-496 [1993];
	109	Yang and Millar, "Conformational Flexibility of Three-Way DNA Junctions Containing Unpaired Nucleotides," Biochemistry 35:7959-7967 [1996];
	110	Zhong et al., "Effects of Unpaired Bases on the Conformation and Stability of Three-Arm DNA Junctions," Biochemistry 33:3660-3667 [1994];
	111	Zhong et al., "Effect of T-T Base Mismatches on Three-Arm DNA Junctions," Biochemistry 32:6898-6907 [1993];
	112	Zuker and Jacobson, "'Well-Determined' Regions in RNA Secondary Structure Prediction: Analysis of Small Subunit Ribosomal RNA," Nucl. Acids Res. 23(14):2791-2798 [1995].
	113	Uhlen, "Magnetic Separation of DNA," Nature 340:733 (1989)
	114	Southern "Detection of Specific Sequences Among DNA Fragments Separated by Gel Electrophoresis," J. Mol. Biol. 98:503-517 (1975)
	Ī	
Examiner:		Date Considered:
EXAMINER:	: Ini	itial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form

RECEIVED

MOV 25 2003